

Dell 27 Video Conferencing Monitor C2723H

LED monitor - 27" - 1920 x 1080 Full HD (1080p) @ 60 Hz - IPS - 300 cd/m² - 1000:1 - 5 ms - HDMI - DisplayPort - speakers - with 3 years Advanced Exchange Service

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	DELL-C2723H
EAN/UPC	5397184567937



Description

Stay in sync on a Full HD monitor with built-in conferencing essentials, low blue light and an eco-friendly design.

Main features

Product Description	Dell 27 Video Conferencing Monitor C2723H - LED monitor - Full HD (1080p) - 27"
Device Type	LED-backlit LCD monitor - 27"
Energy Class	Class C
Power Consumption (On mode)	13.2 W
Features	Microphone, camera, USB 3.2 Gen 1 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.3114 mm
Brightness	300 cd/m²
Contrast Ratio	1000:1 / 1000:1 (dynamic)
Response Time	5 ms (fast), 8 ms (normal)
Colour Support	16.7 million colours
Colour Gamut	99% sRGB
Input Connectors	HDMI, DisplayPort
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Screen Coating	Anti-glare
Voltage	AC 100-240 V (50/60 Hz)
Dimensions (WxDxH) - with stand	60.99 cm x 19.01 cm x 53.415 cm
Weight	7.24 kg
Environmental Standards	TCO Certified Edge Displays, TCO Certified Displays 9, ENERGY STAR Qualified

Compliant Standards	RoHS, NFPA 99, DisplayPort 1.2, BFR-free, HDCP 1.4, PVC-free
Bundled Services	3 years Advanced Exchange Service

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class C
Diagonal Size	27"
Built-in Devices	Microphone, camera, USB 3.2 Gen 1 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.3114 mm
Pixel Per Inch	81.59
Brightness	300 cd/m ²
Contrast Ratio	1000:1 / 1000:1 (dynamic)
Colour Support	16.7 million colours
Colour Gamut	99% sRGB
Response Time	5 ms (fast), 8 ms (normal)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare
Backlight Technology	LED backlight
Features	Mercury free, arsenic-free glass, Low Blue Light technology, 3-sided bezeless
Dimensions (WxDxH)	60.99 cm x 19.01 cm x 53.415 cm - with stand
Weight	7.24 kg
	Audio
Type	Speakers - stereo
Output Power / Channel	5 Watt
	Connectivity
Interfaces	HDMI (HDCP 1.4) DisplayPort 1.2 (HDCP 1.4) DisplayPort output (MST) USB 3.2 Gen 1 upstream 2 x USB 3.2 Gen 1 downstream with Battery Charging 1.2 2 x USB 3.2 Gen 1 downstream Headphones (mini-jack)
	Mechanical
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+21
Swivel Angle	90
Height Adjustment	150 mm

VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), VESA interface support
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort - 1.8 m 1 x HDMI cable - 1.8 m 1 x USB-A to USB-B cable - 1.8 m
Compliant Standards	RoHS, NFPA 99, DisplayPort 1.2, BFR-free, HDCP 1.4, PVC-free
Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (On mode)	13.2 W
Power Consumption SDR (On mode)	13.2 kWh/1000h
Power Consumption (Max)	85 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption Sleep	0.3 Watt
Power Consumption (Off Mode)	0.2 Watt
On / Off Switch	Yes
	Dimensions & Weight
Dimensions & Weight Details	With stand - width: 60.99 cm - depth: 19.01 cm - height: 53.415 cm - weight: 7.24 kg Without stand - weight: 5.04 kg
	Dimensions & Weight (Shipping)
Shipping Weight	10.01 kg
	Environmental Standards
TCO Certified	TCO Certified Edge Displays, TCO Certified Displays 9
ENERGY STAR Certified	Yes
	Manufacturer Warranty
Bundled Services	3 years Advanced Exchange Service

Technical data © 1WorldSync. Subject to technical modifications and errors.