

## XS Trackball Keyboard



Models may vary from the image shown

### Small, flat and extremely robust

The "XS Trackball Keyboard" (G84-5400) combines comfortable mouse control with compact dimensions. Via the optical trackball with two mouse keys, the cursor can be controlled easily and precisely.

### Key benefits

- Optical trackball with two mouse buttons for easy control of the cursor
- High degree of reliability and precise keystroke feel thanks to individual keys with Gold Crosspoint contacts (Cherry ML technology)
- Ideal for continuous usage due to the long operating life in excess of 20 million key confirmations per individual key
- Compact dimensions and very low overall build height, ideal for restricted spaces and for 19" applications
- Standardised measurements and installation dimensions of the complete XS product family - the keyboard can be adapted to every application
- Lightweight - for applications where every gram counts
- Plug & Play - can be used with the operating system's standard drivers
- Supports Code Set 3 and UnifiedPOS
- Fastening option for permanent installation
- Detachable pluggable feet for individually adjusting the tilt of the keyboard
- Freely programmable keys for even more time-saving operation

### Technical Data:

#### Layout (country or language):

Product dependant, see table "Models"

#### Housing colour:

Product dependant, see table "Models"

#### Key colour:

Product dependant, see table "Models"

#### Weight (product):

approx. 540 g

#### Total weight (with packaging):

approx. 670 g

#### Cable Length:

approx. 2.50 m

#### Storage Temperature:

-20°C to 60°C

#### Operating Temperature:

0°C to 50°C

#### Current Consumption:

typ. 35 mA

#### Interface:

Product dependant, see table "Models"

#### Product approvals:

- cURus 
- c-tick 
- VCCI 
- CE 
- FCC 
- VDE 
- BSMI 

#### System requirements:

Product dependant, see table "Models"

#### Delivery Volume:

- XS Trackball Keyboard
- Operating instructions in hard copy
- 2 Pluggable feet

#### Dimensions (product):

approx. 374 x 139 x 20 mm

#### Packaging dimensions:

approx. 393 x 196 x 33 mm

#### Reliability:

- Trackball keys: > 3 mill. operations
- MTBF > 4.9 mill. hours


#### Track ball:

- Scanning: Optical
- Resolution: 500 dpi
- Number of Keys: 2
- Connection: Product dependant, see table "Models"

#### Keyboard:

- Key technology: ML
- Service life, standard key: > 20 million key operations

- Operation characteristics: ML Pressure point(50cN)



- Inscription technology: Laser
- Inscription layout: Standard
- Number of Keys: Product dependant, see table "Models"

**Packaging Unit:**

- Number of products in the master package: 21
- Number of master packages per pallet: 12

**Warranty:**

2 years

Errors, technical changes and delivery possibilities excepted.  
 Technical information refers only to the specifications of the products. Features may differ from the information provided.

## Models:

(possible country/layout versions, others available on request)

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys	Track ball Connection
1	XS Trackball Keyboard	G84-5400LPMCH-2	Switzerland	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89	PS/2
2	XS Trackball Keyboard	G84-5400LPMDE-0	Germany	light grey	light grey	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89	PS/2
3	XS Trackball Keyboard	G84-5400LPMDE-2	Germany	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89	PS/2
4	XS Trackball Keyboard	G84-5400LPMEU-0	US English with EURO symbol	light grey	light grey	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	88	PS/2
5	XS Trackball Keyboard	G84-5400LPMEU-2	US English with EURO symbol	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	88	PS/2

Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys	Track ball Connection
6 XS Trackball Keyboard	G84-5400LPMGB-2	UK	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89	PS/2
7 XS Trackball Keyboard	G84-5400LUMBE-0	Belgium	light grey	light grey	USB	USB connection	89	USB
8 XS Trackball Keyboard	G84-5400LUMBE-2	Belgium	black	black	USB	USB connection	89	USB
9 XS Trackball Keyboard	G84-5400LUMCH-0	Switzerland	light grey	light grey	USB	USB connection	89	USB
10 XS Trackball Keyboard	G84-5400LUMCH-2	Switzerland	black	black	USB	USB connection	89	USB
11 XS Trackball Keyboard	G84-5400LUMDE-0	Germany	light grey	light grey	USB	USB connection	89	USB
12 XS Trackball Keyboard	G84-5400LUMDE-2	Germany	black	black	USB	USB connection	89	USB
13 XS Trackball Keyboard	G84-5400LUMES-0	Spain	light grey	light grey	USB	USB connection	89	USB
14 XS Trackball Keyboard	G84-5400LUMES-2	Spain	black	black	USB	USB connection	89	USB
15 XS Trackball Keyboard	G84-5400LUMEU-0	US English with EURO symbol	light grey	light grey	USB	USB connection	88	USB
16 XS Trackball Keyboard	G84-5400LUMEU-2	US English with EURO symbol	black	black	USB	USB connection	88	USB
17 XS Trackball Keyboard	G84-5400LUMFR-2	France	black	black	USB	USB connection	89	USB
18 XS Trackball Keyboard	G84-5400LUMGB-2	UK	black	black	USB	USB connection	89	USB
19 XS Trackball Keyboard	G84-5400LUMIT-0	Italy	light grey	light grey	USB	USB connection	89	USB
20 XS Trackball Keyboard	G84-5400LUMIT-2	Italy	black	black	USB	USB connection	89	USB
21 XS Trackball Keyboard	G84-5400LUMPN-2	Pan-Nordic	black	black	USB	USB connection	89	USB
22 XS Trackball Keyboard	G84-5400LUMPO-2	Portugal	black	black	USB	USB connection	89	USB
23 XS Trackball Keyboard	G84-5400LUMRB-0	English (US) / Cyrillic	light grey	light grey	USB	USB connection	88	USB
24 XS Trackball Keyboard	G84-5400LUMRB-2	English (US) / Cyrillic	black	black	USB	USB connection	88	USB