

Acer H6815 - DLP projector - UHP

3D - 4000 ANSI lumens - 3840 x 2160 - 16:9 - 4K

Group	Projectors
Manufacturer	Acer
Manufacturer item no.	MRJTA11.001
EAN/UPC	4710886118930



Description

Acer H6815 - DLP projector - UHP - 3D - 4000 ANSI lumens - 3840 x 2160 - 16:9 - 4K

Main features

Product Description	Acer H6815 - DLP projector - 3D
Device Type	DLP projector - 4K
3D Capable	Yes (3D glasses sold separately)
Microdisplay	DMD Chip
Brightness	4000 ANSI lumens
Contrast Ratio	10000:1 (dynamic)
Resolution	3840 x 2160
Native Aspect Ratio	16:9
Colour Support	1.07 billion colours (30-bit)
Bulb type	UHP 240 Watt
Bulb life cycle	Up to 4000 hour(s) - normal mode Up to 10000 hour(s) - economic mode Up to 15000 hour(s) - extreme economic mode
Video Input	(NTSC, SECAM, PAL)
Video Modes	720p, 1080i, 1080p
Speakers	Speaker(s) - integrated
Power	AC 120/230 V
Power Consumption Operational	245 Watt
Dimensions (WxDxH)	33.2 cm x 22.5 cm x 11 cm
Weight	4 kg

Extended details

	General
Device Type	DLP projector - 4K
3D Capable	Yes (3D glasses sold separately)
	Projector
Microdisplay	DMD Chip
Brightness	4000 ANSI lumens
Brightness (Reduced)	3200 ANSI lumens
Contrast Ratio	10000:1 (dynamic)
Image Size	69 cm - 762 cm
Projection Distance	1.9 m - 9.7 m
Throw Ratio	1.5 - 1.65:1
Uniformity	85 %
Resolution	Ultra HD 4K - 3840 x 2160
Native Aspect Ratio	16:9
Colour Support	1.07 billion colours (30-bit)
Max Sync Rate (V x H)	120 Hz
Bulb type	UHP 240 Watt
Bulb life cycle	Up to 4000 hour(s) - normal mode Up to 10000 hour(s) - economic mode Up to 15000 hour(s) - extreme economic mode
Features	DLP 3D Ready, SmartFormat Technology, 24p True Cinema, ISFccc, 4:3 aspect ratio support, Acer ColorSafe II Technology, Rec. 709 Mode, High Dynamic Range (HDR), Football mode, Low Input Lag, Acer Bluelight Shield, auto shutdown, HDMI 3D ready, top-loading lamp, Wall-Color Compensation
	Lens
Focus Type	Manual
Lens Aperture	F/2.0-2.05
Zoom Type	Manual
Zoom Factor	1.1x
Keystone Correction Direction	Horizontal, vertical
Vertical Keystone Correction	-40 / +40
Horizontal Keystone Correction	-40 / +40
	Video Input
TV System	NTSC, SECAM, PAL
Video Interfaces	HDMI
Video Modes	720p, 1080i, 1080p

	Speakers
Type	Integrated
Sound Output Mode	Mono
Output Power / Channel	3 Watt
Speakers	1 x mixed channel
	Expansion / Connectivity
Interfaces	2 x HDMI - 19 pin HDMI Type A 1 x USB 1 x audio line-out 1 x serial RS-232 (management)
	Miscellaneous
Included Accessories	Carrying case, lens cover, remote control, battery for remote control, security card
Cables Included	1 x HDMI cable - 1.8 m
	Power
Power Source	AC
Voltage Required	AC 120/230 V
Power Consumption Operational	245 Watt
Power Consumption Stand by	0.5 Watt
	Dimensions & Weight
Width	33.2 cm
Depth	22.5 cm
Height	11 cm
Weight	4 kg
	Manufacturer Warranty
Service & Support	Limited warranty - 2 years - pick-up and return Limited warranty - lamp - 1 year Limited warranty - DLP chipset - 5 years
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 90%
Sound Emission	33 dB
Sound Emission (Economic Mode)	30 dB

Technical data © 1WorldSync. Subject to technical modifications and errors.