

ViewSonic X1000-4K - X Series

DLP projector - LED - 3D - 2200 lumens - 3840 x 2160 - 16:9 - 4K - ultra short-throw fixed lens

Group	Projectors
Manufacturer	ViewSonic
Manufacturer item no.	X1000-4K
EAN/UPC	0766907001655



Description

The ViewSonic X1000-4K is an ultra-short throw LED projector that allows users to place it inches away from a screen or wall and project a 4K image of up to 100-inches. With 2,200 LED lumens of brightness, motorized focus and a built-in Harmon Kardon sound bar, the X1000-4K delivers an immersive cinematic experience. The X1000-4K also features an integrated smart TV interface that enables easy streaming of television shows, movies and other video content. It features Rec.709 color accuracy and Frame Interpolation technology which reduces motion blur and ensures the vivid projection of images. With HDR content support, both projectors can also deliver detailed video playback. Multiple connectivity options include HDMI 2.0/HDCP 2.2, USB 2.0 Type A and Type C, audio in/out and RJ45.

Main features

Product Description	ViewSonic X1000-4K - X Series - DLP projector - ultra short-throw - 3D
Device Type	DLP projector - 4K
3D Capable	Yes (3D glasses sold separately)
Smart Capable	Yes
Built-in Devices	16GB flash
Brightness	2200 lumens
Contrast Ratio	3000000:1
Resolution	3840 x 2160
Native Aspect Ratio	16:9
Colour Support	1.07 billion colours
Lens	Ultra short-throw fixed lens
Bulb type	LED
Bulb life cycle	Up to 30000 hour(s) - normal mode
Video Modes	480p, 720p, 1080i, 1080p, 480i, 576i, 576p, 2160p, 4K
Speakers	Speaker(s) - integrated
Power	AC 120/230 V (50/60 Hz)
Dimensions (WxDxH)	75.7 cm x 29.1 cm x 15.9 cm

Weight 9.2 kg

Extended details

General

Device Type	DLP projector - 4K
3D Capable	Yes (3D glasses sold separately)
Smart Capable	Yes
Built-in Devices	16GB flash
Networking	802.11a/b/g/n/ac, Bluetooth 4.0
Internet Streaming Services	Amazon Alexa Voice Service

Projector

Brightness	2200 lumens
Contrast Ratio	3000000:1
Image Size	177.8 cm - 304.8 cm
Projection Distance	0.214 m - 0.491 m
Throw Ratio	0.25:1
Resolution	Ultra HD 4K - 3840 x 2160 (native) / 3840 x 2160 (resized)
Native Aspect Ratio	16:9
Colour Support	1.07 billion colours
Max Sync Rate (V x H)	120 Hz x 135 kHz
Bulb type	LED
Bulb life cycle	Up to 30000 hour(s) - normal mode
Controls & Adjustments	Keystone correction
OSD Languages	Czech, Indonesian, Thai, Chinese (traditional), Chinese (simplified), Vietnamese, English, German, French, Italian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Japanese, Korean, Indic (Indian Languages)
Features	High-bandwidth Digital Content Protection System (HDCP), DynamicBlack technology, Direct Power On, Rec. 709 Mode, 360° projection, Mirror Reverse image, auto power on, auto focus, sleep timer, SonicExpert, High Dynamic Range (HDR), XPR technology, ISF Night/Day, sealed optical engine, Hybrid Log-Gamma (HLG), Motion Compensation (MEMC), frame interpolation, harman/kardon speakers, ViewSonic SuperColor+ technology, Eye Protection Mode

Lens

Type	Ultra short-throw fixed lens
Keystone Correction Direction	Vertical

Vertical Keystone Correction	-12 / +12
	Video Input
Video Interfaces	HDMI
Video Modes	480p, 720p, 1080i, 1080p, 480i, 576i, 576p, 2160p, 4K
LAN and Wireless Image Transferring Protocols	Wired LAN, Bluetooth 4.0, Wi-Fi
	Speakers
Type	Integrated
Sound Output Mode	Stereo
Output Power / Channel	20 Watt
Speakers	2 x right / left channel
	Expansion / Connectivity
Interfaces	3 x HDMI - 19 pin HDMI Type A 1 x audio line-in - mini-phone stereo 3.5 mm 1 x USB - 24 pin USB-C 1 x USB 3.0 - 9 pin USB Type A 1 x USB 2.0 - 4 pin USB Type A 1 x network - RJ-45 2 x audio line-out - mini-phone stereo 3.5 mm 1 x SPDIF line-out - TOSLINK 1 x serial RS-232 1 x USB 2.0 - 5 pin Micro-USB Type B (management)
	Miscellaneous
Included Accessories	Remote control
Cables Included	USB-C cable - 1 m
Compliant Standards	HDCP 2.2, HDCP 1.4
	Power
Power Source	AC
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Stand by	0.5 Watt
	Dimensions & Weight
Width	75.7 cm
Depth	29.1 cm
Height	15.9 cm
Weight	9.2 kg
	Dimensions & Weight (Shipping)
Shipping Width	97.3 cm

Shipping Depth	30.6 cm
Shipping Height	40.8 cm
Shipping Weight	11.5 kg
Manufacturer Warranty	
Service & Support	Limited warranty - 2 years - pick-up and return
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Sound Emission	26 dB

Technical data © 1WorldSync. Subject to technical modifications and errors.