

Dell PowerEdge T550 - Server - tower

5U - 2-way - 1 x Xeon Silver 4314 / 2.4 GHz - RAM 32 GB - SAS - hot-swap 2.5" bay(s) - SSD 480 GB - DVD-Writer - Matrox G200 - GigE - no OS - monitor: none - black - BTP - with 3 Years Basic Onsite

Group	Servers
Manufacturer	Dell
Manufacturer item no.	X3Y67
EAN/UPC	5397184678527



Description

The PowerEdge T550, powered by Intel Xeon Silver processor, offers advanced technologies such as accelerators to address data-intensive workloads outside the traditional data center.

Main features

Product Description	Dell PowerEdge T550 - tower - Xeon Silver 4314 2.4 GHz - 32 GB - SSD 480 GB
Type	Server - tower
Bundled Services	3 Years Basic Onsite
Height (Rack Units)	5U
Server Scalability	2-way
Processor	1 x Intel Xeon Silver 4314 / 2.4 GHz (3.4 GHz) (16-core)
Processor Socket	FCLGA4189 Socket
Processor Main Features	Intel Turbo Boost Technology 2
Cache Memory	24 MB
Cache Per Processor	24 MB
RAM	32 GB (installed) / 64 GB (max) - DDR4 SDRAM
Storage Controller	RAID (PERC H755)
Server Storage Bays	Hot-swap 2.5"
Hard Drive	SSD 480 GB (hot-swap) - SATA - 2.5"
Optical Storage	DVD-Writer
Graphics Controller	Matrox G200
Video Memory	16 MB
Networking	GigE
OS Provided	No operating system

Colour	Black
Pricing Type	Build To Plan (BTP)

Extended details

General	
Type	Server
Bundled Services	3 Years Basic Onsite
Product Form Factor	Tower - 5U
Server Scalability	2-way
Hot-Swap Bays Qty	8
Colour	Black
Processor / Chipset	
CPU	Intel Xeon Silver 4314
Clock Speed	2.4 GHz
Max Turbo Speed	3.4 GHz
Number of Cores	16-core
CPU Qty	1
Max CPU Qty	2
CPU Upgradability	Upgradable
Processor Main Features	Intel Turbo Boost Technology 2
CPU Socket	FCLGA4189 Socket
Cache Memory	
Installed Size	24 MB
Cache Per Processor	24 MB
RAM	
Installed Size	32 GB / 64 GB (max)
Technology	DDR4 SDRAM
Effective Memory Speed	2667 MHz
Rated Memory Speed	3200 MHz
Form Factor	DIMM 288-pin
Slots	16 (Total) / 15 (empty)
Features	Registered, dual rank
Configuration Features	1 x 32 GB
RAM Supported	64 GB registered

	Hard Drive
Type	SSD - hot-swap - 2.5"
Capacity	1 x 480 GB
Interface Type	SATA
	Storage Controller
Type	1 x RAID
Storage Controller Name	PERC H755
	Optical Storage
Type	DVD-Writer
	Monitor
Monitor Type	None.
	Graphics Controller
Graphics Processor	Matrox G200
Video Memory	16 MB
Video Interfaces	VGA
	Networking
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet
Remote Management Controller	Integrated Dell Remote Access Controller 9 15G (iDRAC9 15G)
	Expansion / Connectivity
Bays	8 (total) / 7 (free) x hot-swap 2.5"
Interfaces	2 x USB 2.0 (1 front, 1 rear) 2 x LAN (Gigabit Ethernet) 1 x management (iDRAC dedicated port) 1 x VGA (1 rear) 2 x USB 3.0 (1 front, 1 rear)
	Miscellaneous
Included Accessories	Bezel
Pricing Type	Build To Plan (BTP)
	Power
Device Type	Power supply
Power Provided	600 Watt
	Operating System / Software
OS Provided	No operating system

Technical data © 1WorldSync. Subject to technical modifications and errors.