

HP Scanjet Pro N4600 fnw1 - Document scanner

Contact Image Sensor (CIS) - Duplex - 216 x 5362 mm - 600 dpi x 1200 dpi - up to 40 ppm (mono) / up to 40 ppm (colour) - ADF (100 sheets) - up to 6000 scans per day - USB 3.0 - Gigabit LAN - Wi-Fi(n)

Group	Scanners
Manufacturer	HP
Manufacturer item no.	20G07A#B19
EAN/UPC	0195697674211



Description

HP Scanjet Pro N4600 fnw1 - Document scanner - Contact Image Sensor (CIS) - Duplex - 216 x 5362 mm - 600 dpi x 1200 dpi - up to 40 ppm (mono) / up to 40 ppm (colour) - ADF (100 sheets) - up to 6000 scans per day - USB 3.0, Gigabit LAN, Wi-Fi(n)

Main features

Product Description	HP Scanjet Pro N4600 fnw1 - document scanner - desktop - USB 3.0, Gigabit LAN, Wi-Fi(n)
Device Type	Document scanner - desktop
Interface Type	USB 3.0, Gigabit LAN, Wi-Fi(n)
Scanning Sensor Type	Contact Image Sensor (CIS)
Additional Functions	Scan to network share, scan to USB, scan to email, scan to network folder, scan to PC
Max Supported Document Size	216 x 5362 mm
Localisation	English, German, French, Italian, Spanish / Europe
Input Type	Colour
Grayscale / Color Depth	8-bit (256 grey levels) / 48-bit colour
Grayscale / Color Depth (External)	24-bit (16.7 million colours)
Optical Resolution	600 dpi x 1200 dpi
Max Document Scan Speed	40 ppm (mono) / 40 ppm (colour)
Max Document Size	216 mm x 5362 mm
Automatic Duplexing	Yes

Supported Document Type	Plain paper, labels, envelope
Document Feeder Type	Automatic
Document Storage Capacity	100 sheets
Duty Cycle	6000 scans per day
Power	AC 100-240 V
Dimensions (WxDxH)	53.65 cm x 32.54 cm x 13.33 cm
Weight	6.1 kg
Environmental Standards	ENERGY STAR Qualified

Extended details

	General
Type	Document scanner - desktop
Interface Type	USB 3.0, Gigabit LAN, Wi-Fi(n)
Additional Functions	Scan to network share, scan to USB, scan to email, scan to network folder, scan to PC
Max Supported Document Size	216 x 5362 mm
Localisation	English, German, French, Italian, Spanish / Europe
	Scanner
Input Type	Colour
Grayscale Depth	8-bit (256 grey levels)
Colour Depth	48-bit colour
Colour Depth (External)	24-bit (16.7 million colours)
Optical Resolution	600 dpi x 1200 dpi
Scan Mode	Single-pass
Automatic Duplexing	Yes
Scanning Sensor Type	Contact Image Sensor (CIS)
Max Document Scan Speed B/W	40 ppm
Max Document Scan Speed Colour	40 ppm

Duty Cycle	6000 scans per day
Scanner Speed Details	40 ppm - 300 dpi 80 ipm - duplex - 300 dpi
Scanner Features	2.8" (7.11 cm) touchscreen display
Scan File Formats	BMP, JPEG, PNG, TIFF, PDF, RTF, TXT, DOC, XLS, XLSX, DOCX, CSV
Compliant Standards	TWAIN, ISIS, WIA
	Media Handling
Max Document Size	216 mm x 5362 mm
Supported Document Type	Plain paper, labels, envelope
Supported Document Size Details	ADF - up to 216 x 5362 mm
Document Feeder Type	Automatic
Document Storage Capacity	100 sheets
	Expansion / Connectivity
Interfaces	USB 3.0 Gigabit LAN
	Miscellaneous
Included Accessories	Cushions
Cables Included	1 x USB cable
Compliant Standards	C-Tick, BSMI, SASO, CCC, UL 60950-1 Second Edition, KCC, FCC CFR47 Part 15 B, CECP, GB 9254-2008, KN22, EAC, CNS13438:2006, EMC 2004/108/EC, SEPA, TER, EN 61000-3-3:2013, PVOC, CoC, EN 61000-3-2:2014, EN 55032:2015, NRCS, CSA 60950-1 Second Edition, IEC 60950-1:2005 + A1, SON, CISPR 32:2015, EN 60950-1:2006+A11+A1+A12+A2, ICES-003:2020 Issue 7, IEC 62368-1:2018
	Environmental Standards
EPEAT Compliant	EPEAT Silver
ENERGY STAR Certified	Yes
	Power
Power Device	External power adapter
Voltage Required	AC 100-240 V
Power Consumption Operational (Standby)	17.4 Watt

Power Consumption Stand by	7.5 Watt
Power Consumption Sleep	1.9 Watt
Software / System Requirements	
Software Included	HP Scan, HP Scanner Tools Utility
Dimensions & Weight	
Width	53.65 cm
Depth	32.54 cm
Height	13.33 cm
Weight	6.1 kg
Dimensions & Weight (Shipping)	
Shipping Width	64.5 cm
Shipping Depth	24.5 cm
Shipping Height	49.9 cm
Shipping Weight	7.8 kg
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year Technical support - phone consulting - 1 year Product info support - web support - 1 year

Technical data © 1WorldSync. Subject to technical modifications and errors.