

HP Deskjet 2720e All-in-One - Multifunction printer

colour - ink-jet - 216 x 297 mm (original) - A4/Legal (media) - up to 6 ppm (copying) - up to 7.5 ppm (printing) - 60 sheets - USB 2.0 - Bluetooth - Wi-Fi(n) - HP Instant Ink eligible

Group	Printers
Manufacturer	HP
Manufacturer item no.	26K67B#629
EAN/UPC	0195161617973



Description

All the basics, now with easy-to-use features. Print, scan, and copy everyday documents, and get worry-free wireless. Simple setup with HP Smart app means you're ready on any device.

Main features

Product Description	HP Deskjet 2720e All-in-One - multifunction printer - colour - HP Instant Ink eligible
Device Type	Multifunction printer
Localisation	Western Europe (excluding United Kingdom, Ireland)
Printing Technology	Ink-jet (colour)
Inkjet Technology	HP Thermal Inkjet - 4-ink
Monthly Duty Cycle (max)	1000 pages
Recommended Monthly Volume	50 - 100 pages
Max Copying Speed	Up to 6 ppm (mono) / up to 3 ppm (colour)
Max Copying Resolution	Up to 300 x 300 dpi (mono) / up to 300 x 300 dpi (colour)
Max Printing Speed	Up to 7.5 ppm (mono) / up to 5.5 ppm (colour)
Max Printing Resolution	Up to 1200 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Scanning	1200 x 1200 dpi

Original Size	216 x 297 mm (max)
Original Type	Sheets
Media Size	89 x 127 mm (min) - Legal (216 x 356 mm), A4 (210 x 297 mm) (max)
Media Type	Envelopes, plain paper, cards, labels, photo paper
Standard Media Capacity	60 sheets
Max Media Capacity	60 sheets
Output Trays Capacity	25 sheets
Connection Availability	Yes
Interface	USB 2.0, Bluetooth, Wi-Fi(n)
AirPrint Enabled	Yes
Office Machine Features	Print from mobile devices
Power	AC 120/230 V (50/60Hz)
Dimensions (WxDxH)	42.5 cm x 30.4 cm x 15.4 cm
Weight	3.42 kg

Extended details

	General
Device Type	Multifunction printer
Printing Technology	Ink-jet - colour
Monthly Duty Cycle (max)	1000 pages
Recommended Monthly Volume	50 - 100 pages
Display Features	LCD display
Connection Availability	Yes
Interface	USB 2.0, Bluetooth, Wi-Fi(n)
AirPrint Enabled	Yes

Office Machine Features	Print from mobile devices
Localisation	Western Europe (excluding United Kingdom, Ireland)
	Memory
Standard Memory	86 MB
Max Supported Memory	512 MB
	Copying
Max Copying Speed	Up to 6 ppm (mono) / up to 3 ppm (colour)
Max Copying Resolution	Up to 300 x 300 dpi (mono) / up to 300 x 300 dpi (colour)
Maximum Copies	9
	Printing
Inkjet Technology	HP Thermal Inkjet
Nozzle Configuration	328 nozzles (black), 588 nozzles (colour)
Max Printing Resolution	Up to 1200 x 1200 dpi (mono) / up to 4800 x 1200 dpi (colour)
Max Printing Speed	Up to 7.5 ppm (mono) / up to 5.5 ppm (colour)
Ink Cartridge Configuration	1 pigment black cartridge, 1 colour cartridge (cyan, magenta, yellow)
Ink Palette Supported (Colours)	Cyan, magenta, yellow, pigment black
Colour	4-ink
Printer Drivers / Emulations	PCL 3 GUI, PCLm, URF
First Print Out Time B/W	15 sec
First Print Out Time Colour	19 sec
	Scanning
Scan Element	CIS
Optical Resolution	1200 x 1200 dpi
Grayscale Depth	8-bit

Colour Depth	24-bit
	Document & Media Handling
Max Original Size	216 x 297 mm
Supported Original Sizes	216 x 297 mm
Original Type	Sheets
Min Media Size	89 x 127 mm
Max Media Size	A4/Legal
Min Media Weight	60 g/m ²
Max Media Weight	300 g/m ²
Supported Media Type	Envelopes, plain paper, cards, labels, photo paper
Supported Media Sizes	Legal (216 x 356 mm), A4 (210 x 297 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), 100 x 150 mm, 89 x 127 mm, 215 x 279 mm
Supported Envelope Sizes	International DL (110 x 220 mm)
Standard Media Capacity	60 sheets
Max Media Capacity	60 sheets
Output Trays Capacity	25 sheets
Document & Media Handling Details	Input tray - 60 sheets size: 89 x 127 mm - Legal (216 x 356 mm) weight: 60 g/m ² - 300 g/m ² Output tray - 25 sheets
Speed Details	Printing: up to 20 ppm (A4) - B/W draft Printing: up to 16 ppm (A4) - colour draft Printing: up to 7.5 ppm - B/W (ISO) Printing: up to 5.5 ppm - colour (ISO) Copying: up to 6 ppm - colour (ISO) Copying: up to 3 ppm - B/W (ISO)
	Connections
Interfaces	1 x USB 2.0 - 4 pin USB Type B
Operating System Support	MS Windows 7 (32/64 bits), Windows 10 (32/64-bits), macOS 10.12, macOS 10.13, macOS 10.14, macOS 10.15
	Power

Voltage Required	AC 120/230 V (50/60Hz)
Power Consumption Standby	1.7 Watt
Power Consumption Sleep	0.9 Watt
Miscellaneous	
Compliant Standards	FCC CFR47 Part 15, EN 62479:2010, EN 61000-3-3:2013, IEC 61000-3-3:2013, EN 55024:2010, EN 62311:2008, IEC 60950-1:2005 + A1:2009 + A2:2013, EN 55032:2015, ICES-003 issue 6 Class B, CISPR 32:2015 Class B, EN 301 489-1 V2.1.1:2017, EN 55035:2017, IEC 61000-3-2:2014, IEC 62368-1: 2014, EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013
Dimensions & Weight	
Width	42.5 cm
Depth	30.4 cm
Height	15.4 cm
Weight	3.42 kg
Dimensions & Weight (Shipping)	
Shipping Width	47.5 cm
Shipping Depth	19.1 cm
Shipping Height	35.4 cm
Shipping Weight	4.48 kg
Environmental Parameters	
Sound Emission	48 dBA (operating)
Min Operating Temperature	5 °C
Max Operating Temperature	40 °C
Humidity Range Operating	15 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.