

HPE ProLiant DL385 Gen10 Plus

Server - rack-mountable - 2U - 2-way - 1 x EPYC 7262 / 3.2 GHz - RAM 16 GB - SAS - hot-swap 3.5" bay(s) - no HDD - no graphics - GigE - monitor: none

Group	Servers
Manufacturer	HPE
Manufacturer item no.	P07594-B21
EAN/UPC	0190017304281



Description

Building on HPE ProLiant as the intelligent foundation for hybrid cloud, the HPE ProLiant DL385 Gen10 Plus server offers a powerful processor. With 32 DIMMs for memory up to 3200 MHz, the HPE ProLiant DL385 Gen10 Plus server delivers low cost virtual machines (VMs) with unprecedented security. Equipped with PCIe Gen4 capabilities, HPE ProLiant DL385 Gen10 Plus offers improved data transfer rates and higher networking speeds. Combined with a better balance of processor cores, memory and I/O, HPE ProLiant DL385 Gen10 Plus is an ideal choice for virtualization, and memory-intensive and HPC workloads.

Main features

Product Description	HPE ProLiant DL385 Gen10 Plus - rack-mountable - EPYC 7262 3.2 GHz - 16 GB - no HDD
Type	Server - rack-mountable
Height (Rack Units)	2U
Localisation	Region: Worldwide
Server Scalability	2-way
Processor	1 x AMD EPYC 7262 / 3.2 GHz (8-core)
Cache Memory	128 MB
Cache Per Processor	128 MB
RAM	16 GB DDR4 SDRAM
Storage Controller	RAID (SATA 6Gb/s / SAS 12Gb/s) - PCIe 3.0 x8 (HPE Smart Array E208i-a)
Server Storage Bays	Hot-swap 3.5"
Hard Drive	No HDD
Optical Storage	No optical drive
Graphics Controller	No graphics
Networking	GigE
Power	AC 120/230 V (50/60 Hz)
Power Redundancy	Optional

Software Included	HPE iLO Standard with Intelligent Provisioning, HPE OneView Standard (free download)
Dimensions (WxDxH)	44.54 cm x 74.9 cm x 8.73 cm
Weight	24.7 kg
Environmental Standards	ENERGY STAR Qualified

Extended details

	General
Type	Server
Product Form Factor	Rack-mountable - 2U
Built-in Devices	Led panel
Server Scalability	2-way
Hot-Swap Bays Qty	8
Localisation	Region: Worldwide
	Processor / Chipset
CPU	AMD EPYC 7262
Clock Speed	3.2 GHz
Number of Cores	8-core
CPU Qty	1
Max CPU Qty	2
	Cache Memory
Installed Size	128 MB
Cache Per Processor	128 MB
	RAM
Installed Size	16 GB
Technology	DDR4 SDRAM
Rated Memory Speed	3200 MHz
Features	Registered
Configuration Features	1 x 16 GB
	Hard Drive
Type	No HDD
	Storage Controller
Type	1 x RAID - PCIe 3.0 x8
Controller Interface Type	SATA 6Gb/s / SAS 12Gb/s
Storage Controller Name	HPE Smart Array E208i-a
Channel Qty	8
	Optical Storage

Type	No optical drive
	Monitor
Monitor Type	None.
	Graphics Controller
Graphics Processor	No graphics
	Networking
Ethernet Ports	4 x Gigabit Ethernet
Data Link Protocol	Ethernet, Fast Ethernet, Gigabit Ethernet
	Expansion / Connectivity
Bays	8 (total) / 8 (free) x hot-swap 3.5" LFF
Slots	1 (total) / 1 (free) x PCIe 3.0 x16 2 (total) / 2 (free) x PCIe 3.0 x8
Interfaces	1 x HPE iLO 4 x LAN (Gigabit Ethernet)
	Miscellaneous
Included Accessories	LFF Easy Install rails, 6 x standard fans
	Power
Device Type	Power supply - hot-plug
Power Redundancy	Optional
Power Redundancy Scheme	1+1 (with optional power supply)
Installed Qty	1
Max Supported Qty	2
Voltage Required	AC 120/230 V (50/60 Hz)
Power Provided	500 Watt
	Operating System / Software
Software	HPE iLO Standard with Intelligent Provisioning, HPE OneView Standard (free download)
	Environmental Standards
ENERGY STAR Certified	Yes
ENERGY STAR Version	3.0
	Manufacturer Warranty
Service & Support	Limited warranty - parts and labour - 3 years - on-site - response time: next business day
	Dimensions & Weight
Width	44.54 cm
Depth	74.9 cm
Height	8.73 cm
Weight	24.7 kg

Technical data © 1WorldSync. Subject to technical modifications and errors.