

Dell E2016HV - LED monitor - 20" (19.5" viewable)

1600 x 900 @ 60 Hz - TN - 200 cd/m² - 600:1 - 5 ms - VGA - with 3 years Advanced Exchange Service

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	E2016HV
EAN/UPC	5397063744459



Description

A dependable and affordable monitor with essential features that meet everyday office demands.

Main features

Product Description	Dell E2016HV - LED monitor - 20"
Device Type	LED-backlit LCD monitor - 20"
Energy Class	Class D
Power Consumption (On mode)	10.6 W
Panel Type	TN
Aspect Ratio	16:9
Native Resolution	1600 x 900 at 60 Hz
Pixel Pitch	0.2712 mm
Brightness	200 cd/m²
Contrast Ratio	600:1
Response Time	5 ms (black-to-white)
Colour Support	16.7 million colours
Input Connectors	VGA
Display Position Adjustments	Tilt
Screen Coating	Anti-glare, 3H Hard Coating
Dimensions (WxDxH) - with stand	47.15 cm x 16.7 cm x 36.89 cm
Weight	2.72 kg
Environmental Standards	TCO Certified Displays 8, ENERGY STAR Qualified
Compliant Standards	Plug and Play, DDC/CI, RoHS, CECP
Bundled Services	3 years Advanced Exchange Service

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class D
Diagonal Size	20"
Viewable Size	19.5"
Panel Type	TN
Aspect Ratio	16:9
Native Resolution	1600 x 900 at 60 Hz
Pixel Pitch	0.2712 mm
Brightness	200 cd/m ²
Contrast Ratio	600:1
Colour Support	16.7 million colours
Response Time	5 ms (black-to-white)
Vertical Refresh Rate	56 - 76 Hz
Horizontal Refresh Rate	30 - 83 kHz
Horizontal Viewing Angle	90
Vertical Viewing Angle	65
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	WLED
OSD Languages	Chinese (simplified), Brazilian Portuguese, English, German, French, Russian, Spanish, Japanese
Features	72% (CIE 1931) colour gamut, 85% (CIE 1976) colour gamut, Dell Custom Color, Flicker Free technology, Energy Gauge, backlight dimming control, LED light bar system
Dimensions (WxDxH)	47.15 cm x 16.7 cm x 36.89 cm - with stand
Weight	2.72 kg
	Connectivity
Interfaces	VGA
	Mechanical
Display Position Adjustments	Tilt
Tilt Angle	-6/+22
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), LED indicator, integrated cable management, VESA interface support, Dell Soundbar mounting slots
Included Accessories	VESA screw cover
Cables Included	1 x VGA cable
Compliant Standards	Plug and Play, DDC/CI, RoHS, CECP
Security Slot Type	Kensington security slot
	Power

Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption (On mode)	10.6 W
Power Consumption SDR (On mode)	10.6 kWh/1000h
Power Consumption (Typical)	14 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption Sleep	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
Software / System Requirements	
Included Software	Drivers & Utilities, Dell Display Manager
OS Required	Microsoft Windows Vista / 7 / 8 / 8.1 / 10
Dimensions & Weight	
Dimensions & Weight Details	With stand - width: 47.15 cm - depth: 16.7 cm - height: 36.89 cm - weight: 2.72 kg Without stand - width: 47.15 cm - depth: 5.15 cm - height: 27.54 cm - weight: 2.26 kg
Environmental Standards	
TCO Certified	TCO Certified Displays 8
ENERGY STAR Certified	Yes
Manufacturer Warranty	
Service & Support	Limited warranty - 3 years
Bundled Services	3 years Advanced Exchange Service
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.