

## Dell SE2723DS - LED monitor - 27"

2560 x 1440 QHD @ 75 Hz - IPS - 350 cd/m $^2$  - 1000:1 - 4 ms - 2xHDMI - DisplayPort - with 3 years Advanced Exchange Service and Limited Hardware Warranty

Group Flat Screens

Manufacturer Dell

Manufacturer item no. DELL-SE2723DS EAN/UPC 5397184656860



## Description

Take on your day comfortably with this 27" QHD monitor featuring a height-adjustable stand, ComfortView Plus and In-Plane Switching technology.

Main features	
Product Description	Dell SE2723DS - LED monitor - QHD - 27"
Device Type	LED-backlit LCD monitor - 27"
Energy Class	Class E
Power Consumption (On mode)	20 W
Adaptive-Sync Technology	AMD FreeSync
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	QHD 2560 x 1440 at 75 Hz
Pixel Pitch	0.2331 mm
Brightness	350 cd/m <sup>2</sup>
Contrast Ratio	1000:1
Response Time	4 ms (grey-to-grey extreme), 5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Colour Support	16.7 million colours
Colour Gamut	99% sRGB
Input Connectors	2xHDMI, DisplayPort
Display Position Adjustments	Height, tilt
Screen Coating	Anti-glare, 3H Hard Coating
Voltage	AC 100-240 V (50/60 Hz)
Dimensions (WxDxH) - with stand	61.158 cm x 20.5 cm x 40.308 cm
Compliant Standards	RoHS
Bundled Services	3 years Advanced Exchange Service and Limited Hardware Warranty

## Extended details



	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class E
Diagonal Size	27"
Adaptive-Sync Technology	AMD FreeSync
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	QHD 2560 x 1440 at 75 Hz
Pixel Pitch	0.2331 mm
Pixel Per Inch	109
Brightness	350 cd/m <sup>2</sup>
Contrast Ratio	1000:1
Colour Support	16.7 million colours
Colour Gamut	99% sRGB
Response Time	4 ms (grey-to-grey extreme), 5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
Features	LED edgelight system, 3-sided bezeless, Dell ComfortView Plus
Dimensions (WxDxH)	61.158 cm x 20.5 cm x 40.308 cm - with stand
	Connectivity
Interfaces	2 x HDMI (HDCP 1.4)   DisplayPort 1.2 (HDCP 1.4)   Audio line-out
	Mechanical
Display Position Adjustments	Height, tilt
Tilt Angle	-5/+21
Height Adjustment	100 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), VESA interface support
Cables Included	1 x HDMI cable - 1.8 m
Compliant Standards	RoHS
Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (On mode)	20 W
Power Consumption SDR (On mode)	20 kWh/1000h
Power Consumption (Max)	30 Watt



Power Consumption Stand by	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
On / Off Switch	Yes
	Dimensions & Weight
Dimensions & Weight Details	With stand - width: $61.158\ cm$ - depth: $20.5\ cm$ - height: $40.308\ cm$   Without stand - width: $61.158\ cm$ - depth: $5.456\ cm$ - height: $36.44\ cm$ - weight: $4.36\ kg$
	Dimensions & Weight (Shipping)
Shipping Weight	7.88 kg
	Manufacturer Warranty
Bundled Services	3 years Advanced Exchange Service and Limited Hardware Warranty
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.