

Poly VVX 450 Business IP Phone

VoIP phone - 3-way call capability - SIP - SDP - 12 lines

Group	Phones
Manufacturer	Poly
Manufacturer item no.	2200-48840-025
EAN/UPC	0610807883050



Description

The Polycom VVX 450 Business IP Phone is a high-quality, twelve-line, color IP phone for businesses of all sizes.

Main features

Product Description	Poly VVX 450 Business IP Phone - VoIP phone - 3-way call capability
Product Type	VoIP phone
Main Features	Integrated Ethernet switch
VoIP Protocols	SIP, SDP
Voice Codecs	G.722, G.729ab, G.711u, G.711a, iLBC, G.722.1
Software Certification	Zoom Certified
Lines Supported	12 lines
Speakerphone	Yes
Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Display	LCD display - colour - Yes
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX
Environmental Standards	ENERGY STAR Qualified

Extended details

	General
Product Type	VoIP phone
Shipping Weight	1.043 kg
	Phone Features
Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Dialer Location	Base
Conference Call Capability	3-way
Speakerphone	Yes
Additional Functions	Call timer, HD Voice
	Conference Phone
Features	Acoustic Clarity Technology

Main Features	Integrated Ethernet switch
VoIP	Yes
VoIP Protocols	SIP, SDP
Voice Codecs	G.722, G.729ab, G.711u, G.711a, iLBC, G.722.1
Lines Supported	12 lines
Quality of Service	IEEE 802.1Q (VLAN), IEEE 802.1p, Diffserv per device (QoS)
IP Address Assignment	DHCP, static
Security	IEEE 802.1X, TLS
Power Over Ethernet (PoE) Support	Yes
Network Protocols	TCP, TFTP, UDP, HTTP, DNS, HTTPS, Link Layer Discovery Protocol (LLDP), RTCP, RTP, SNTP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX
Voice Features	Comfort noise generation (CNG), voice activity detection (VAD), HD Voice, acoustic echo cancellation (AEC), packet loss concealment (PLC), adaptive jitter buffer (AJB)
Network Features	Lightweight Directory Access Protocol (LDAP)
	Display
Type	LCD display - colour
Display Location	Base
Diagonal Size	4.3"
Display Resolution	480 x 272 pixels
Backlit	Yes
Display Languages	Multilingual
	Miscellaneous
Connections	Headset jack / RJ-9
Hearing Aid Compatible	Yes
Software Certification	Zoom Certified
Cables Included	Network cable
	Environmental Standards
ENERGY STAR Certified	Yes
	Dimensions & Weight (Base)
Width	24 cm
Depth	23 cm
Height	5.7 cm
	Dimensions & Weight (Shipping)
Shipping Weight	1.043 kg
	Manufacturer Warranty
Service & Support	Limited warranty - 1 year

Technical data © 1WorldSync. Subject to technical modifications and errors.

