

LG 43LU661H - 43" Diagonal Class LU661H Series LED-backlit LCD TV

hotel / hospitality - Pro:Centric with Integrated Pro:Idiom - 1080p
1920 x 1080 - direct-lit LED

Group	LCD TVs
Manufacturer	LG
Manufacturer item no.	43LU661H
EAN/UPC	8806098270613



Description

Enhance guests in-room experience and hotel brand image with the interactive smart solution, Pro: Centric SMART. The LU661H series features SDK Tools, Preloaded Apps, and hospitality content management software, Pro: Centric SMART/V/Direct, which enables you to create customized content.

Pro: Centric SMART is optimized for customizing hospitality services for hotel brands and guests through an IP & RF infrastructure. With its high picture quality, sophisticated design and advanced connectivity functions, it upscales in-room entertainment and increases convenience through implementation of high-end technology. Pro: Centric Direct is a hotel content management system that supports simple editing tools and provides various solutions such as 1-click service and IP-network-based remote management. With the solution, users enable to design UI easily and provide customized service while managing TV efficiently.

SmartShare allows users to share content more easily and quickly. It also searches for the content they want in order to share it more easily and accurately, there by simplifying the process of sharing between various devices. Connect a smartphone or a laptop PC to TV via a Wi-Fi Direct connection. The TV will display the device's screen, and users can share their content and memories together. Bluetooth Sound Sync enables users to listen to music on a mobile device through TV speakers via Bluetooth connection.

Main features

Product Description	LG 43LU661H LU661H Series - 43" - Pro:Centric with Integrated Pro:Idiom LED-backlit LCD TV - Full HD - for hotel / hospitality
Product Type	LED-backlit LCD TV - Pro:Centric with Integrated Pro:Idiom
Diagonal Class	43"
Commercial Use	Yes - hotel / hospitality
Country Kits	Europe
Resolution	1920 x 1080
Display Format	1080p
Video Interface	Component, HDMI
HDMI Ports Qty	2 ports
Connectivity	LAN
LCD Backlight Technology	Direct-lit LED
Image Aspect Ratio	16:9
TV Tuner	1x analogue, 1x digital
Analogue TV Tuner	PAL, SECAM
Commercial Features	Pro:Centric Smart, Pro:Centric V, Pro:Idiom DRM, Pro:Centric Direct Ready, Data Streaming

Speaker System	2 speakers
USB	2 ports
Voltage	AC 120/230 V (50/60 Hz)
Energy Class	Class F
Power Consumption Operational	100.2 Watt
Power Consumption (On mode)	50 W
Power Consumption Stand by	0.3 Watt
Dimensions (WxDxH) - without stand	97.7 cm x 8.08 cm x 57.5 cm
Weight	8 kg

Extended details

General	
Product Type	LED-backlit LCD TV Pro:Centric with Integrated Pro:Idiom
Energy Class	Class F
Power Consumption Operational	100.2 Watt
Power Consumption (On mode)	50 W
Power Consumption SDR (On mode)	50 kWh/1000h
Diagonal Class	43"
Commercial Use	Yes - hotel / hospitality
Series	LU661H Series
TV Tuner	1x analogue, 1x digital
TV Tuner Presence	Yes
Video Interface	Component, HDMI
HDMI Ports Qty	2 ports
Dimensions	Without stand
Width	97.7 cm
Depth	8.08 cm
Height	57.5 cm
Weight	8 kg
Country Kits	Europe
Display	
Resolution	1920 x 1080
Display Format	1080p
Image Aspect Ratio	16:9
LCD Backlight Technology	Direct-lit LED

Brightness	400 cd/m ²
Commercial Features	Pro:Centric Smart, Pro:Centric V, Pro:Idiom DRM, Pro:Centric Direct Ready, Data Streaming
Features	XD Engine technology, One Channel Map, Remote System Monitoring, Motion eye care, Scheduler
	Stands & Mounts
Stand	Included
Stand Design	Tabletop
Flat Panel Mount Interface	200 x 200 mm
VESA Compatibility	Yes
	TV Tuner
Analogue TV Tuner	PAL, SECAM
Conditional Access	Common Interface (CI) slot
	Media Player
USB Port	Yes
USB Ports Qty	2
	Audio System
Speaker System	2 speakers
Output Power / Total	20 Watt
Features	Clear Voice III technology
Speakers	2 x speaker - 10 Watt
	Network & Internet Multimedia
Connectivity	LAN
LAN Protocol	Ethernet
	Connections
Connector Type	HDMI input - side 2 x USB 2.0 - side HDMI input - rear RS-232C - side Headphone output LAN Service Component video / AV / RGB input 2 x speakers output
	Power
Power Device	Power supply
Input Voltage	AC 120/230 V (50/60 Hz)
Power Consumption Stand by	0.3 Watt
Features	Smart energy saving, WOL (Wake on LAN)
	Dimensions & Weight Details
Dimensions & Weight Details	Panel without stand - 97.7 cm x 8.08 cm x 57.5 cm x 8 kg Panel with stand - 97.7 cm x 8.08 cm x 63 cm x 11.2 kg
	Dimensions & Weight (Shipping)
Width (Shipping)	114.7 cm
Depth (Shipping)	17.5 cm
Height (Shipping)	66 cm
Weight (Shipping)	13.9 kg

