

Zebra XSLATE L10 - Rugged - tablet

Intel Pentium N4200 / 1.1 GHz - Win 10 Pro 64-bit - HD Graphics 505
 - 4 GB RAM - 64 GB SSD - 10.1" touchscreen 1920 x 1200 - Wi-Fi 5 -
 NFC - 4G

Group	Tablets
Manufacturer	Zebra
Manufacturer item no.	RSL10-LSS1W1W4S0X2N0



Description

It is more important than ever to give workers the right mobility tools. They need a reliable way to capture, extract, and analyze data about your customers, assets, and new revenue-generating opportunities, especially when away from their desks. Whether your business is public safety, utilities, or manufacturing, the XSLATE L10 rugged tablet computer will enable you to drive greater business efficiency among your mobile workforce, for a much longer period of time than competing mobile devices.

Main features

Product Description	Zebra XSLATE L10 - 10.1" - Pentium N4200 - 4 GB RAM - 64 GB SSD - 4G
Product Type	Tablet - no keyboard - rugged
Operating System	Win 10 Pro 64-bit
Processor	Intel Pentium N4200 / 1.1 GHz (2.5 GHz)
Memory	4 GB LPDDR4
Storage	64 GB SSD
Display	10.1" touchscreen 1920 x 1200 / WUXGA
Graphics	Intel HD Graphics 505
Integrated Webcam	Yes
Networking	802.11a/b/g/n/ac, NFC, Bluetooth 4.2
Wireless Broadband (WWAN)	4G
Battery	Up to 10 hours
Dockable	Yes
Security	Trusted Platform Module (TPM 2.0) Security Chip, fingerprint reader
Dimensions (WxDxH)	28.08 cm x 19.52 cm x 2.2 cm
Weight	1.3 kg
Environmental Standards	ENERGY STAR Qualified

Extended details

General

Product Type	Tablet - no keyboard - rugged
Operating System	Windows 10 Pro 64-bit Edition

Processor / Chipset

CPU	Intel Pentium N4200 / 1.1 GHz
Max Turbo Speed	2.5 GHz
Number of Cores	Quad-Core
64-bit Computing	Yes
Features	Intel Turbo Boost Technology

Memory

RAM	4 GB
Technology	LPDDR4 SDRAM

Storage

Main Storage	64 GB SSD SATA
--------------	----------------

Display

Type	10.1"
Touchscreen	Yes (10-point multi-touch)
Resolution	1920 x 1200 (WUXGA)
Widescreen	Yes
Image Aspect Ratio	16:10
Image Brightness	500 cd/m ²
Features	View Anywhere, Corning Gorilla glass 3, glove touch mode, wet touch mode, night vision mode, capacitive touch screen

Audio & Video

Graphics Processor	Intel HD Graphics 505
Camera	Yes
Resolution	13 Megapixel (rear), 2 Megapixel (front)
Sound	Speaker, array microphone
Compliant Standards	High Definition Audio

Communications

Wireless	802.11a/b/g/n/ac, NFC, Bluetooth 4.2
Wireless Controller	Intel Dual Band Wireless-AC 8265

Wireless Broadband (WWAN)

Generation	4G
------------	----

	Navigation
Receiver	GPS/GLONASS/Galileo/BeiDou
	Battery
Run Time	Up to 10 hours
	AC Adapter
Output	19 V
	Connections & Expansion
Interfaces	2 x USB 3.0 USB-C 3.0 (supports DisplayPort Alt Mode) LAN Audio line-in/out Dock
Memory Card Reader	Yes (microSD, microSDHC, microSDXC)
	Software
Software Included	Pen and Touch Enabled BIOS Setup, Know Your Tablet
	Miscellaneous
Case Material	Magnesium alloy
Dockable	Yes
Security	Trusted Platform Module (TPM 2.0) Security Chip, fingerprint reader
Features	Water-resistant, dust-resistant, shock-resistant, drop-resistant, UEFI BIOS, vibration
Theft/Intrusion Protection	Security lock slot (cable lock sold separately)
Security Slot Type	Kensington security slot
Included Accessories	Power adapter
Compliant Standards	EN 61000-3-2, EN 61000-3-3, EN55024, ICES-003 Class B, OET 65 C, EN 62311, AS/NZS 60950-1 Second Edition, NMX -1-122-NYCE-2006, EN 62209-2, WEEE 2012/19/EU, NOM-019, FCC Part 15 Class B, EN 301 489-1, RoHS 2 (2011/65/EU), EN 55032 Class B, RSS-102 Issue 5, ANSI/ISA 12.12.01-2013, Directive 2013/56/EU, IEC/EN 60950-1, UL/CSA60950-1 (2nd Edition), EN 301 489-17, EN 303 413, EN 301 489-24
	Dimensions & Weight
Dimensions (WxDxH)	28.08 cm x 19.52 cm x 2.2 cm
Weight	1.3 kg
	Environmental Standards
ENERGY STAR Certified	Yes
	Manufacturer Warranty
Service & Support	Limited warranty - 3 years
	Environmental Parameters
Min Operating Temperature	-20 °C
Max Operating Temperature	60 °C
Humidity Range Operating	3 - 95% (non-condensing)

Shock Tolerance (operating)	40 g
-----------------------------	------

Vibration Tolerance (operating)	40 g
---------------------------------	------

Technical data © 1WorldSync. Subject to technical modifications and errors.