

Dell UltraSharp U3821DW - LED monitor

curved - 38" (37.52" viewable) - 3840 x 1600 WQHD+ @ 60 Hz - IPS - 300 cd/m² - 1000:1 - 5 ms - 2xHDMI - DisplayPort - USB-C - speakers - with 3 years Advanced Exchange Basic Warranty - for Latitude 5320 - 5520; Precision 7560

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	DELL-U3821DW
EAN/UPC	5397184409565



Description

Experience clarity, productivity and connectivity on this 37.5" ultra-wide WQHD+ curved hub monitor with 95% DCI-P3 color and integrated speakers.

Main features

Product Description	Dell UltraSharp U3821DW - LED monitor - curved - 38"
Device Type	LED-backlit LCD monitor - 38"
Energy Class	Class F
Power Consumption (On mode)	36.5 W
Curved Screen	Yes
Features	USB-C hub, USB PD 90 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	WQHD+ 3840 x 1600 at 60 Hz
Pixel Pitch	0.22908 mm
Brightness	300 cd/m ²
Contrast Ratio	1000:1 / 1000:1 (dynamic)
Response Time	5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Colour Support	1.07 billion colours
Colour Gamut	95% DCI-P3
Input Connectors	2xHDMI, DisplayPort, USB-C
Display Position Adjustments	Height, swivel, tilt
Screen Coating	Anti-glare, 3H Hard Coating
Voltage	AC 120/230 V (50/60 Hz)

Dimensions (WxDxH) - with stand	89.43 cm x 25.12 cm x 44.38 cm
Environmental Standards	TCO Certified Displays 8, ENERGY STAR Qualified EPEAT Gold
Compliant Standards	RoHS, halogen-free, BFR-free, DisplayPort 1.4, PVC-free
Bundled Services	3 years Advanced Exchange Basic Warranty
Designed For	Latitude 5320, 5520; Precision 7560

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class F
Diagonal Size	38"
Viewable Size	37.52"
Curved Screen	Yes
Built-in Devices	USB-C hub
USB Power Delivery	90 Watt
Panel Type	IPS
Aspect Ratio	21:9
Native Resolution	WQHD+ 3840 x 1600 at 60 Hz
Pixel Pitch	0.22908 mm
Pixel Per Inch	110.87
Brightness	300 cd/m ²
Contrast Ratio	1000:1 / 1000:1 (dynamic)
Colour Support	1.07 billion colours
Colour Gamut	95% DCI-P3
Response Time	5 ms (grey-to-grey fast), 8 ms (grey-to-grey normal)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	WLED
Features	Mercury free, arsenic-free glass, 3-sided bezelless
Dimensions (WxDxH)	89.43 cm x 25.12 cm x 44.38 cm - with stand
	Audio
Type	Speakers - stereo
Output Power / Channel	9 Watt

	Connectivity
Interfaces	DisplayPort 1.4 2 x HDMI USB-C 3.1 Gen 1 upstream/DisplayPort 1.4 Alt Mode (power up to 90W) USB 3.2 Gen 1 upstream (Type B) 3 x USB 3.2 Gen 1 downstream USB 3.2 Gen 1 downstream with Battery Charging 1.2 USB-C downstream (power up to 15W)
	Mechanical
Display Position Adjustments	Height, swivel, tilt
Tilt Angle	-5/+21
Swivel Angle	60
Height Adjustment	120 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), VESA interface support, anti-theft stand lock slot
Cables Included	1 x USB-C to USB-C cable 1 x HDMI cable 1 x DisplayPort cable - DisplayPort to DisplayPort 1 x USB 3.2 Gen 1 upstream cable - USB Type A to B
Compliant Standards	RoHS, halogen-free, BFR-free, DisplayPort 1.4, PVC-free
	Power
Input Voltage	AC 120/230 V (50/60 Hz)
Power Consumption (On mode)	36.5 W
Power Consumption SDR (On mode)	36.5 kWh/1000h
Power Consumption (Typical)	36.7 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption Sleep	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
On / Off Switch	Yes
	Software / System Requirements
Included Software	Dell Display Manager
	Dimensions & Weight
Dimensions & Weight Details	With stand - width: 89.43 cm - depth: 25.12 cm - height: 44.38 cm Without stand - width: 89.43 cm - depth: 10.24 cm - height: 39.23 cm - weight: 8.8 kg
	Dimensions & Weight (Shipping)
Shipping Weight	19.9 kg
	Environmental Standards

TCO Certified	TCO Certified Displays 8
EPEAT Compliant	EPEAT Gold
ENERGY STAR Certified	Yes
	Manufacturer Warranty
Bundled Services	3 years Advanced Exchange Basic Warranty
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)
	Compatibility Information
Designed For	Dell Latitude 5320, 5520 Dell Precision 7560

Technical data © 1WorldSync. Subject to technical modifications and errors.