

Zebra WT6000 Wearable Computer

Data collection terminal - rugged - Android 5.1 (Lollipop) - 4 GB - 3.2" IPS (800 x 480) - USB host - Wi-Fi 5 - NFC - Wi-Fi 5 - Bluetooth

Group	PDAs
Manufacturer	Zebra
Manufacturer item no.	WT60A0-TSOLEWR



Description

The WT6000 wearable computer sets another standard for enterprise-class wearability. It's smaller and lighter. And with the incredible mounting system, the WT6000 fits comfortably on every worker, on any size arm. Its industrial rugged design delivers maximum uptime in your demanding environments. The result? Maximum comfort. Maximum durability. Maximum workforce productivity.

Main features

Product Description	Zebra WT6000 Wearable Computer - data collection terminal - Android 5.1 (Lollipop) - 4 GB - 3.2"
Product Type	Data collection terminal - rugged
Operating System	Android 5.1 (Lollipop)
Display	3.2" IPS TFT - LED backlight - 800 x 480 - Multi-Touch
Processor	(Quad-Core)
Processor Clock Speed	1 GHz
Storage	4 GB
RAM	1 GB
Wireless Connectivity	802.11a/b/g/n/ac, NFC, 802.11b/g/n/ac, Bluetooth 4.1
Features	USB host
Battery	PowerPrecision+
Dimensions (WxDxH)	8.9 cm x 3.4 cm x 12.1 cm
Weight	245 g

Extended details

General	
Product Type	Data collection terminal - rugged
Operating System	Android 5.1 (Lollipop)
Display	
Type	3.2" IPS TFT - LED backlight
Resolution	800 x 480
Touchscreen	Multi-Touch
Image Brightness	400 cd/m²

Features	Corning Gorilla glass 3
Processor	
Processor Clock Speed	1 GHz
Number of Cores	Quad-Core
Memory	
Storage	4 GB
RAM	1 GB
Communications	
Wireless Connectivity	802.11a/b/g/n/ac, NFC, 802.11b/g/n/ac, Bluetooth 4.1
Security Protocols & Features	WEP, WPA, WPA2, IPsec, TTLS, EAP-TTLS, EAP-TLS, CCXv4, MS-CHAPv2, PEAPv0, PEAPv1
Multimedia	
Audio	Microphone, speaker
Input Device	
Type	Touch-screen
Software	
Preloaded Software	AirWatch, SOTI MobiScan, Enterprise Browser, DataWedge
Expansion and Connectivity	
Interfaces	1 x USB
USB Host	Yes
Battery	
Technology	PowerPrecision+ - Lithium Ion
Capacity	3350 mAh
Miscellaneous	
Features	LED indicator
Vibrating Alert	Yes
Compliant Standards	IEC 60529 IP65
Dimensions & Weight	
Width	8.9 cm
Depth	3.4 cm
Height	12.1 cm
Weight	245 g
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year
Environmental Parameters	
Min Operating Temperature	-30 °C
Max Operating Temperature	50 °C
Humidity Range Operating	5 - 95% (non-condensing)
Min Storage Temperature	-40 °C

Max Storage Temperature

70 °C

Technical data © 1WorldSync. Subject to technical modifications and errors.