

APC Replacement Battery Cartridge #7

UPS battery - 1 x battery - Lead Acid - black - for P/N: SMT1500C - SMT1500I-AR - SMT1500IC - SMT1500NC - SMT1500TW - SUA1500ICH-45 - SUA1500-TW

Group	Batteries
Manufacturer	APC
Manufacturer item no.	RBC7
EAN/UPC	0731304003298



Description

In the E-world where businesses can't stop and downtime is measured in dollars, American Power Conversion (APC) provides protection against some of the leading causes of downtime, data loss and hardware damage: power problems and temperature. As a global leader in power availability solutions, APC sets the standard in its industry for quality, innovation and support. Its comprehensive power solutions, which are designed for both home and corporate environments, improve the manageability, availability and performance of sensitive electronic, network, communications and industrial equipment of all sizes.

Main features

Product Description	APC Replacement Battery Cartridge #7 - UPS battery - Lead Acid
Device Type	UPS battery
Weight	11.68 kg
Localisation	Belgium, Bahrain, Jordan, Kuwait, Lebanon, Oman, Saudi Arabia, Yemen, United Arab Emirates, Afghanistan, Albania, Argentina, Armenia, Aruba, Australia, Benin, Bulgaria, Cameroon, China, Colombia, Cooks Island, Czech Republic, Estonia, Fiji, Indonesia, Israel, Japan, Lithuania, Papua New Guinea, Senegal, South Africa, Vietnam, Ukraine, Venezuela, Zaire, Belize, Canada, Chile, Egypt, Hong Kong, Iceland, Iran, Mexico, Myanmar, New Zealand, Pakistan, Romania, Sri Lanka, Taiwan, Thailand, Virgin Islands, Malaysia, Singapore, Puerto Rico, Luxembourg, Hungary, Cyprus, Brunei, Iraq, India, Ghana, Kenya, Sierra Leone, Nigeria, Malawi, Zambia, Uganda, Tanzania, Bolivia, Uruguay, Peru, Paraguay, Ecuador, Honduras, Guatemala, Costa Rica, Salvador, Panama, Nicaragua, Dominican Republic, Jamaica, Botswana, Angola, Algeria, Chad, Burkina Faso, Ethiopia, Falkland Isles, Cote D'Ivoire, Congo, Gabon, Mali, Liechtenstein, Gibraltar, Gambia, Lesotho, Mauritania, Malta, Somalia, Rwanda, Niger, Mozambique, Morocco, Togo, Zimbabwe, Sudan, Bangladesh, Cambodia, Philippines, Nepal, Yugoslavia, Belarus, Bosnia, Croatia, Kazakhstan, Macedonia, Slovakia, Slovenia, Korea, Latvia, Azerbaijan, Guyana, Uzbekistan, Moldova, Herzegovina, Georgia, Bhutan, Barbados, Antigua and Barbuda, Cayman Islands, East Timor, Cuba, Anguilla, Andorra, Burundi, Central African Republic, Djibouti, Equatorial Guinea, Guinea, Liberia, Namibia, Turkmenistan, Netherlands Antilles, Austria, Brazil, Denmark, Finland, France, Germany, Italy, Netherlands, Norway, Poland, Portugal, Russia, Spain, Sweden, Switzerland, United Kingdom, United States, Greece, Turkey, Ireland
Battery	Lead Acid
Battery Form Factor	Plug-in module
Batteries Qty	1
Colour	Black

Dimensions (WxDxH)	15.2 cm x 18.3 cm x 17.3 cm
Designed For	P/N: DLA1500I, SMT1500, SMT1500C, SMT1500I, SMT1500I-AR, SMT1500IC, SMT1500NC, SMT1500TW, SMT1500US, SMT1500X413, SMT1500X448, SU1400I, SU700XLI, SUA1500-BR, SUA1500ICH, SUA1500ICH-45, SUA1500IX38, SUA1500-TW, SUA1500X114, SUA1500X413, SUA1500X427, SUA1500X448, SUA500XLJ, SUA750XLX320, SUVS1400I

Extended details

	General
Device Type	UPS battery
Battery Enclosure Type	Plug-in module
Colour	Black
Localisation	Belgium, Bahrain, Jordan, Kuwait, Lebanon, Oman, Saudi Arabia, Yemen, United Arab Emirates, Afghanistan, Albania, Argentina, Armenia, Aruba, Australia, Benin, Bulgaria, Cameroon, China, Colombia, Cooks Island, Czech Republic, Estonia, Fiji, Indonesia, Israel, Japan, Lithuania, Papua New Guinea, Senegal, South Africa, Vietnam, Ukraine, Venezuela, Zaire, Belize, Canada, Chile, Egypt, Hong Kong, Iceland, Iran, Mexico, Myanmar, New Zealand, Pakistan, Romania, Sri Lanka, Taiwan, Thailand, Virgin Islands, Malaysia, Singapore, Puerto Rico, Luxembourg, Hungary, Cyprus, Brunei, Iraq, India, Ghana, Kenya, Sierra Leone, Nigeria, Malawi, Zambia, Uganda, Tanzania, Bolivia, Uruguay, Peru, Paraguay, Ecuador, Honduras, Guatemala, Costa Rica, Salvador, Panama, Nicaragua, Dominican Republic, Jamaica, Botswana, Angola, Algeria, Chad, Burkina Faso, Ethiopia, Falkland Isles, Cote D'Ivoire, Congo, Gabon, Mali, Liechtenstein, Gibraltar, Gambia, Lesotho, Mauritania, Malta, Somalia, Rwanda, Niger, Mozambique, Morocco, Togo, Zimbabwe, Sudan, Bangladesh, Cambodia, Philippines, Nepal, Yugoslavia, Belarus, Bosnia, Croatia, Kazakhstan, Macedonia, Slovakia, Slovenia, Korea, Latvia, Azerbaijan, Guyana, Uzbekistan, Moldova, Herzegovina, Georgia, Bhutan, Barbados, Antigua and Barbuda, Cayman Islands, East Timor, Cuba, Anguilla, Andorra, Burundi, Central African Republic, Djibouti, Equatorial Guinea, Guinea, Liberia, Namibia, Turkmenistan, Netherlands Antilles, Austria, Brazil, Denmark, Finland, France, Germany, Italy, Netherlands, Norway, Poland, Portugal, Russia, Spain, Sweden, Switzerland, United Kingdom, United States, Greece, Turkey, Ireland
	Battery
Quantity	1
Technology	Lead Acid
Features	Leak-proof
	Manufacturer Warranty
Service & Support	Limited warranty - 2 years
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Min Storage Temperature	-15 °C
Max Storage Temperature	45 °C
Humidity Range Operating	0 - 95%
Humidity Range Storage	0 - 95%
	Dimensions & Weight
Width	15.2 cm

Depth	18.3 cm
Height	17.3 cm
Weight	11.68 kg
Dimensions & Weight (Shipping)	
Shipping Width	26.2 cm
Shipping Depth	29 cm
Shipping Height	25.9 cm
Shipping Weight	12.4 kg
Compatibility Information	
Designed For	P/N: BP1400, BP1400I, BP1400X116, CURK7X, DLA1500, DLA1500I, SMT1500, SMT1500C, SMT1500I, SMT1500I-AR, SMT1500IC, SMT1500NC, SMT1500TW, SMT1500US, SMT1500X413, SMT1500X448, SU1000X127, SU1000XL, SU1000XLI, SU1000XLINET, SU1000XLNET, SU1400, SU1400BX120, SU1400I, SU1400INET, SU1400NET, SU1400RMI2U, SU1400X106, SU1400X145, SU1400X93, SU700XL, SU700XLI, SU700XLINET, SU700XLNET, SUA1000XL, SUA1000XLI, SUA1500, SUA1500-BR, SUA1500I, SUA1500ICH, SUA1500ICH-45, SUA1500IX38, SUA1500R2X180, SUA1500-TW, SUA1500US, SUA1500X114, SUA1500X413, SUA1500X427, SUA1500X448, SUA1500X93, SUA500XLJ, SUA750XL, SUA750XLI, SUA750XLX320, SUVS1400, SUVS1400I

Technical data © 1WorldSync. Subject to technical modifications and errors.