

HP LaserJet Enterprise M507dn

Printer - B/W - Duplex - laser - A4/Legal - 1200 x 1200 dpi - up to 50 ppm - capacity: 650 sheets - USB 2.0 - Gigabit LAN - USB 2.0 host

Group	Printers
Manufacturer	HP
Manufacturer item no.	1PV87A#B19
EAN/UPC	0192545078818



Description

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently. Keep up with the demands of growing business with a printer you can rely on.

Main features

Product Description	HP LaserJet Enterprise M507dn - printer - B/W - laser
Printer Type	Workgroup printer - laser - B/W
Weight	16.34 kg
Localisation	English, German, French, Italian, Spanish / Europe
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Print Speed	Up to 43 ppm - black normal - A4 (210 x 297 mm) Up to 34 ipm - B/W duplex - A4 (210 x 297 mm) Up to 65 ppm - black draft - A5 (148 x 210 mm) Up to 45 ppm - black normal - ANSI A (Letter) (216 x 279 mm) Up to 36 ipm - B/W duplex - ANSI A (Letter) (216 x 279 mm)
Max Resolution (B&W)	1200 x 1200 dpi
Image Enhancement Technology	HP ProRes 1200 / HP FastRes 1200
Automatic Duplexing	Yes
Interface	USB 2.0, Gigabit LAN, USB 2.0 host
Preview Screen Size	2.7"
Processor	1.2 GHz
RAM Installed (Max)	512 MB (1.5 GB)
Language Simulation	PCL 5, PostScript 3, PCL 6, PDF 1.7
Media Type	Envelopes, transparencies, labels, plain paper, bond paper, recycled paper, card stock, punched paper, preprinted paper
Total Media Capacity	650 sheets
Media Handling	100-sheet multipurpose tray, 2x 550-sheet input trays
Monthly Duty Cycle (max)	150000 pages
Recommended Monthly Volume	2000 - 7500 pages
Networking	Print server
Printer Features	Instant-on Technology

Dimensions (WxDxH)

41.8 cm x 37.6 cm x 48.1 cm

Extended details

	General
Printer Type	Workgroup printer - laser - monochrome
Localisation	English, German, French, Italian, Spanish / Europe
	Printer
Print Speed	Up to 43 ppm - black normal - A4 (210 x 297 mm) ; Up to 34 ipm - B/W duplex - A4 (210 x 297 mm) ; Up to 65 ppm - black draft - A5 (148 x 210 mm) ; Up to 45 ppm - black normal - ANSI A (Letter) (216 x 279 mm) ; Up to 36 ipm - B/W duplex - ANSI A (Letter) (216 x 279 mm)
Built-in Devices	2.7 inch QVGA LCD display
Preview Screen Size	2.7"
Connectivity Technology	Wired
Interface	USB 2.0, Gigabit LAN, USB 2.0 host
Max Resolution (B&W)	1200 x 1200 dpi
Image Enhancement Technology	HP ProRes 1200 / HP FastRes 1200
Automatic Duplexing	Yes
PostScript Support	Standard
First Print Out Time B/W	5.9 sec
Language Simulation	PCL 5, PostScript 3, PCL 6, PDF 1.7
Printer Features	Instant-on Technology
Media Handling	100-sheet multipurpose tray, 2x 550-sheet input trays
	Processor
Processor	1.2 GHz
	RAM
RAM Installed (Max)	512 MB / 1.5 GB (max)
	Media Handling
Media Type	Envelopes, transparencies, labels, plain paper, bond paper, recycled paper, card stock, punched paper, preprinted paper
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Media Sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), 100 x 150 mm
Envelope Sizes	International DL (110 x 220 mm), International C6 (114 x 162 mm), International C5 (162 x 229 mm), International B5 (176 x 250 mm)
Total Media Capacity	650 sheets
Media Feeders	1 x automatic - 100 sheets - Legal (216 x 356 mm) weight: 60 g/m² - 199 g/m² ; 1 x automatic - 550 sheets - Legal (216 x 356 mm) weight: 60 g/m² - 120 g/m²
Max Media Capacity	2300 sheets
Output Trays Capacity	250 sheets
	Duty Cycle

Monthly Duty Cycle (max)	150000 pages
Recommended Monthly Volume	2000 - 7500 pages
	Networking
Networking	Print server
Remote Management Protocol	SNMP 1, Telnet, SNMP 3, IPP, SNMP 2c, HTTP, NDPS, NDS, HTTPS, TFTP, IPPS, SLP
Security Protocols & Features	Kerberos, SSL, Apple Bonjour, TLS, IPsec, 802.1x, EAP-TLS, PEAP
	Expansion / Connectivity
Connections	1 x USB 2.0 - 4 pin USB Type B 1 x Gigabit LAN - RJ-45 2 x USB 2.0 host - 4 pin USB Type A
	Miscellaneous
Consumables Included	1 x toner cartridge (black) - up to 5000 pages
	Power
Power Device	Power supply - internal
Power Consumption Operational	601 Watt
Power Consumption Stand by	7.6 Watt
	Software / System Requirements
Software Included	Drivers & Utilities
	Environmental Standards
ENERGY STAR	Yes
	Manufacturer Warranty
Service & Support	Limited warranty - 1 year - on-site - response time: next business day
	Environmental Parameters
Min Operating Temperature	10 °C
Max Operating Temperature	32.5 °C
Humidity Range Operating	10 - 80%
Sound Emission (Idle)	24 dBA
Sound Emission (Operating)	54 dBA
	Dimensions & Weight
Width	41.8 cm
Depth	37.6 cm
Height	48.1 cm
Weight	16.34 kg
	Dimensions & Weight (Shipping)
Width (Shipping)	67.1 cm
Depth (Shipping)	49.7 cm
Height (Shipping)	46.5 cm
Weight (Shipping)	22.6 kg

Technical data © 1WorldSync. Subject to technical modifications and errors.