

Yealink SIP-T46U - VoIP phone with caller ID

3-way call capability - SIP - SIP v2 - 16 lines

Group	Phones
Manufacturer	Yealink
Manufacturer item no.	SIP-T46U
EAN/UPC	6938818304314



Description

Designed for busy executives and professional, the SIP-T46U IP phone is an ultimate communication tool that has the better overall performance. The phone employs an appealing high-resolution TFT color display that looks brighter and more vibrant. United Yealink Optima HD Voice technology and wideband codec of Opus, the T46U awards you the superb audio quality and crystal-clear voice communications. Moreover, the T46U puts dual USB ports in a phone that makes Bluetooth, Wi-Fi, USB headset and USB recording come true, and you can use any two of them freely according to your needs. The Yealink new T4U series offers the same elegant appearance as the T4 line, but with improvements for greater interoperability and better collaboration.

Main features

Product Description	Yealink SIP-T46U - VoIP phone with caller ID - 3-way call capability
Product Type	VoIP phone with caller ID
VoIP Services	Skype
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP Protocols	SIP, SIP v2
Voice Codecs	G.722, G.723.1, G.729ab, G.711u, G.711a, G.726, iLBC, Opus
Lines Supported	16 lines
Speakerphone	Yes
Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Display	LCD display - colour - Yes
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX/1000Base-T

Extended details

	General
Product Type	VoIP phone
	Phone Features
Operating System	Linux
VoIP Services	Skype
Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Caller ID Type	Caller ID

Key Expansion Module Max Qty	6
Dialer Location	Base
Conference Call Capability	3-way
Speakerphone	Yes
Messaging Services	SMS
Programmable Buttons Qty	10
Volume Control	Yes
Indicators	Visual ringer light, voice message waiting indicator
Additional Functions	Built-in clock, call recording, redial, mute, Music on hold, HD Voice, group call pickup, Do Not Disturb (DND)
IP Telephony	
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP	Yes
VoIP Protocols	SIP, SIP v2
Voice Codecs	G.722, G.723.1, G.729ab, G.711u, G.711a, G.726, iLBC, Opus
Lines Supported	16 lines
Quality of Service	IEEE 802.1Q (VLAN), IEEE 802.1p, Type of Service (ToS)
IP Address Assignment	DHCP, static, PPPoE
Security	IEEE 802.1X, TLS
Power Over Ethernet (PoE) Support	Yes
Network Protocols	TCP, TFTP, UDP, HTTP, DNS, SNMP, HTTPS, SRTP, SNTP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX/1000Base-T
Voice Features	Comfort noise generation (CNG), voice activity detection (VAD), HD Voice, acoustic echo cancellation (AEC), packet loss concealment (PLC), adaptive jitter buffer (AJB), automatic gain control (AGC), Yealink Optima HD voice technology
Network Features	Network Address Translation (NAT), Class 3 PoE, Lightweight Directory Access Protocol (LDAP)
Phone Memory	
Phone Directory Capacity	1000 names & numbers
Display	
Type	LCD display - colour
Display Location	Base
Diagonal Size	4.3"
Display Resolution	480 x 272 pixels
Colour Depth	16-bit (65000 colours)
Backlit	Yes
Display Languages	Multilingual

Miscellaneous	
Connections	Headset jack / RJ-9 Accessory port / RJ-12 2 x USB
Hearing Aid Compatible	Yes
Placing / Mounting	Wall-mountable, table-top
Cables Included	Network cable - 2 m
Included Accessories	Stand
Dimensions & Weight (Base)	
Width	24.4 cm
Depth	21.3 cm
Height	18.5 cm

Technical data © 1WorldSync. Subject to technical modifications and errors.