

Xerox W130 - Document scanner

Contact Image Sensor (CIS) - Duplex - 308 x 5994 mm - 600 dpi - up to 130 ppm (mono) / up to 130 ppm (colour) - ADF (500 sheets) - up to 100000 scans per day - USB 3.1 Gen 1

Group	Scanners
Manufacturer	Xerox
Manufacturer item no.	100N03612
EAN/UPC	4711860807130



Description

The Xerox W130 production scanner delivers a leadership price-performance value. With the price of a light-production scanner, it offers high-performance speeds up to 130 ppm / 260 ipm. Its current-state hardware platform provides a daily duty cycle of 100,000 pages per day and handles documents ranging from hard cards to A3 paper, even long documents up to 236 inches (5994 mm). An adjustable, motorized 500-sheet input tray feeds jobs through a U-turn paper path or for thicker stock and cards, a straight paper path is also provided. A high-resolution color LCD makes it easy for operators to change scan and workflow settings.

Main features

Product Description	Xerox W130 - document scanner - desktop - USB 3.1 Gen 1
Device Type	Document scanner - desktop
Interface Type	USB 3.1 Gen 1
Scanning Sensor Type	Contact Image Sensor (CIS)
Light Source	RGB LED
Max Supported Document Size	308 x 5994 mm
Localisation	United Kingdom, Europe
Input Type	Colour
Grayscale / Color Depth (External)	8-bit (256 grey levels) / 24-bit (16.7 million colours)
Optical Resolution	600 dpi
Interpolated Resolution	1200 dpi
Max Document Scan Speed	130 ppm (mono) / 130 ppm (colour)
Max Document Size	308 mm x 5994 mm
Automatic Duplexing	Yes
Supported Document Type	Plain paper, ID card
Document Feeder Type	Automatic
Document Storage Capacity	500 sheets
Duty Cycle	100000 scans per day
Power	AC 120/230 V (50/60 Hz)

System Requirements	Microsoft Windows 7 / 8 / 10
Dimensions (WxDxH)	46 cm x 44.6 cm x 36.2 cm
Weight	22.7 kg
Environmental Standards	ENERGY STAR Qualified

Extended details

	General
Type	Document scanner - desktop
Interface Type	USB 3.1 Gen 1
Max Supported Document Size	308 x 5994 mm
Localisation	United Kingdom, Europe
	Scanner
Input Type	Colour
Grayscale Depth (External)	8-bit (256 grey levels)
Colour Depth (External)	24-bit (16.7 million colours)
Optical Resolution	600 dpi
Interpolated Resolution	1200 dpi
Automatic Duplexing	Yes
Scanning Sensor Type	Contact Image Sensor (CIS)
Bulb / Light Source Type	RGB LED
Max Document Scan Speed B/W	130 ppm
Max Document Scan Speed Colour	130 ppm
Duty Cycle	100000 scans per day
Scanner Speed Details	130 ppm - 200 dpi 260 ipm - duplex - 200 dpi 130 ppm - 300 dpi 260 ipm - duplex - 300 dpi
Scanner Features	Double feed detection, Visioneer OneTouch Technology, Visioneer Acuity Technology, jam detection
Compliant Standards	TWAIN, ISIS, WIA
	Media Handling
Max Document Size	308 mm x 5994 mm
Supported Document Type	Plain paper, ID card
Supported Document Size Details	ADF - up to 308 x 5994 mm
Document Feeder Type	Automatic
Document Storage Capacity	500 sheets
	Expansion / Connectivity
Interfaces	USB 3.1 Gen 1
	Miscellaneous
Cables Included	1 x SuperSpeed USB cable

Environmental Standards	
ENERGY STAR Certified	Yes
Power	
Power Device	Internal power supply
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational (Standby)	120 Watt
Power Consumption Stand by	30 Watt
Software / System Requirements	
Software Included	Drivers & Utilities, Visioneer OneTouch, Visioneer Acuity, Visioneer Capture SE, Visioneer Organizer AI, ABBYY FineReader 15 Standard
OS Required	Microsoft Windows 7 / 8 / 10
Dimensions & Weight	
Width	46 cm
Depth	44.6 cm
Height	36.2 cm
Weight	22.7 kg
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year

Technical data © 1WorldSync. Subject to technical modifications and errors.