

Dell E2216HV - LED monitor - 22" (21.53" viewable)

1920 x 1080 Full HD (1080p) @ 60 Hz - TN - 200 cd/m² - 600:1 - 5 ms - VGA - black - with 3 years Advanced Exchange Service

Group	Flat Screens
Manufacturer	Dell
Manufacturer item no.	E2216HV



Description

A reliable and affordable monitor with essential features that meet everyday office demands. It features great display quality at multiple angles with VESA-mount compatibility and tilt options, as well as a VGA.

Main features

Product Description	Dell E2216HV - LED monitor - Full HD (1080p) - 22"
Device Type	LED-backlit LCD monitor - 22"
Energy Class	Class D
Power Consumption (On mode)	12.9 W
Panel Type	TN
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.248 mm
Brightness	200 cd/m²
Contrast Ratio	600:1
Response Time	5 ms (black-to-white)
Colour Support	16.7 million colours
Input Connectors	VGA
Display Position Adjustments	Tilt
Screen Coating	Anti-glare, 3H Hard Coating
Colour	Black
Dimensions (WxDxH) - with stand	51.22 cm x 18 cm x 39.67 cm
Weight	3.35 kg
Environmental Standards	ENERGY STAR Qualified
Compliant Standards	Plug and Play, VESA EDID, DDC/CI, RoHS, CECP
Bundled Services	3 years Advanced Exchange Service

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class D
Diagonal Size	22"
Viewable Size	21.53"
Panel Type	TN
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.248 mm
Brightness	200 cd/m ²
Contrast Ratio	600:1
Colour Support	16.7 million colours
Response Time	5 ms (black-to-white)
Vertical Refresh Rate	56 - 76 Hz
Horizontal Refresh Rate	30 - 83 kHz
Horizontal Viewing Angle	90
Vertical Viewing Angle	65
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
OSD Languages	Chinese (simplified), Brazilian Portuguese, English, German, French, Russian, Spanish, Japanese
Features	72% (CIE 1931) colour gamut, 85% (CIE 1976) colour gamut, Dell Custom Color, Flicker Free technology, Energy Gauge, backlight dimming control, LED light bar system
Colour	Black
Dimensions (WxDxH)	51.22 cm x 18 cm x 39.67 cm - with stand
Weight	3.35 kg
	Connectivity
Interfaces	VGA
	Mechanical
Display Position Adjustments	Tilt
Tilt Angle	-6/+22
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), LED indicator, integrated cable management, VESA interface support, Dell Soundbar mounting slots
Included Accessories	VESA screw cover
Cables Included	1 x VGA cable - VGA to VGA
Compliant Standards	Plug and Play, VESA EDID, DDC/CI, RoHS, CECP
Security Slot Type	Kensington security slot

	Power
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption (On mode)	12.9 W
Power Consumption SDR (On mode)	12.9 kWh/1000h
Power Consumption (Typical)	18 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption Sleep	0.3 Watt
	Software / System Requirements
Included Software	Dell Display Manager
	Dimensions & Weight
Dimensions & Weight Details	With stand - width: 51.22 cm - depth: 18 cm - height: 39.67 cm - weight: 3.35 kg Without stand - width: 51.22 cm - depth: 5.05 cm - height: 30.37 cm - weight: 2.83 kg
	Environmental Standards
ENERGY STAR Certified	Yes
	Manufacturer Warranty
Service & Support	Limited warranty - 3 years
Bundled Services	3 years Advanced Exchange Service
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.